



LIMPSFIELD RETRO-FIT CBW 700 Hp / Natural Gas

“SIMPLY EFFICIENT”

Exhaust Gas Analyser

Commissioned Vals

	Amb	Exhaust	Delta	Eff %	O2 %	CO2 %	CO ppm
High	97 °F	275 °F	210 °F	86.2	2.3	10.3	0.0
Inter 1	95 °F	264 °F	201 °F	86.4	2.5	10.1	0.0
Inter 2	95 °F	266 °F	203 °F	86.3	2.6	10.1	0.0
Inter 3	95 °F	262 °F	199 °F	86.4	2.5	10.1	0.0
Inter 4	95 °F	259 °F	196 °F	86.5	2.6	10.0	0.0
Inter 5	93 °F	255 °F	194 °F	86.6	2.5	10.1	0.0
Inter 6	93 °F	252 °F	190 °F	86.6	2.6	10.0	0.0
Inter 7	93 °F	248 °F	187 °F	86.7	2.5	10.1	0.0
Inter 8	91 °F	239 °F	180 °F	86.9	2.6	10.0	0.0
Inter 9	91 °F	230 °F	171 °F	87.1	2.7	10.0	0.0
Inter 10	-	-	-	-	-	-	-
Inter 11	-	-	-	-	-	-	-
Inter 12	-	-	-	-	-	-	-
Inter 13	-	-	-	-	-	-	-
Inter 14	-	-	-	-	-	-	-
Inter 15	-	-	-	-	-	-	-
Start	91 °F	217 °F	158 °F	87.1	4.5	8.9	0.0

**Site Data: Natural Gas Firing
8:1 turndown ratio
Hot Water boilers @ 225 F**